

## Referenties – Arnt Schellekens

- [1] Warfield, S.C., Bharat, C., Bossarte, R.M., et al. Trends in comorbid opioid and stimulant use disorders among Veterans receiving care from the Veterans Health Administration, 2005-2019. *Drug Alcohol Depend.* 03 01 2022;232:109310. doi:10.1016/j.drugalcdep.2022.109310
- [2] Browne, K.C., Stohl, M., Bohnert, K.M., et al. Prevalence and Correlates of Cannabis Use and Cannabis Use Disorder Among U.S. Veterans: Results From the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC-III). *Am J Psychiatry.* Jan 2022;179(1):26-35. doi:10.1176/appi.ajp.2021.20081202
- [3] Lin, L.A., Bonar, E.E., Zhang, L., Girard, R., Coughlin, L.N. Alcohol-involved overdose deaths in US veterans. *Drug Alcohol Depend.* 01 01 2022;230:109196. doi:10.1016/j.drugalcdep.2021.109196
- [4] Lo-Ciganic, W.H., Hincapie-Castillo, J., Wang, T., et al. Dosing profiles of concurrent opioid and benzodiazepine use associated with overdose risk among US Medicare beneficiaries: Group-based multi-trajectory models. *Addiction.* Feb 28 2022;doi:10.1111/add.15857
- [5] Edmonds, A.T., Rhew, I.C., Jones-Smith, J., Chan, K.C.G., Nelson, K., Williams, E.C. Patient-centered primary care and receipt of evidence-based alcohol-related care in the national Veterans Health Administration. *J Subst Abuse Treat.* Feb 02 2022:108709. doi:10.1016/j.jsat.2021.108709
- [6] Bokhour, B.G., Hyde, J., Kligler, B., et al. From patient outcomes to system change: Evaluating the impact of VHA's implementation of the Whole Health System of Care. *Health Serv Res.* Mar 04 2022;doi:10.1111/1475-6773.13938
- [7] Marchand, W.R., Joubert, K., Smith, J., et al. A Pilot Observational Study of Implementing an Equine-Assisted Services Program Within a VA Medical Center Residential Substance Use Disorder Treatment Program. *Mil Med.* Mar 01 2022;doi:10.1093/milmed/usac028
- [8] Jones, A.L., Kelley, A.T., Suo, Y., et al. Trends in Health Service Utilization After Enrollment in an Interdisciplinary Primary Care Clinic for Veterans with Addiction, Social Determinants of Health, or Other Vulnerabilities. *J Gen Intern Med.* Feb 22 2022;doi:10.1007/s11606-022-07456-x
- [9] Stauffer, C.S., Samson, S., Hickok, A., Hoffman, W.F., Batki, S.L. Intranasal Oxytocin for Stimulant Use Disorder Among Male Veterans Enrolled in an Opioid Treatment Program: A Randomized Controlled Trial. *Front Psychiatry.* 2021;12:804997. doi:10.3389/fpsy.2021.804997
- [10] Abdallah, C.G., Roache, J.D., Gueorguieva, R., et al. Dose-related effects of ketamine for antidepressant-resistant symptoms of posttraumatic stress disorder in veterans and active duty military: a double-blind, randomized, placebo-controlled multi-center clinical trial. *Neuropsychopharmacology.* Jan 19 2022;doi:10.1038/s41386-022-01266-9
- [11] Petrakis, I., Springer, S.A., Davis, C., et al. Rationale, design and methods of VA-BRAVE: a randomized comparative effectiveness trial of two formulations of buprenorphine for treatment of opioid use disorder in veterans. *Addict Sci Clin Pract.* 01 31 2022;17(1):6. doi:10.1186/s13722-022-00286-6
- [12] Hoopes, K.H., Osborne, M., Marchand, W.R., et al. A pilot observational study of recreational trail riding for Veterans with addictive disorders. *Complement Ther Med.* May 2022;65:102813. doi:10.1016/j.ctim.2022.102813
- [13] Kilian, C., O'Donnell, A., Potapova, N., et al. Changes in alcohol use during the COVID-19 pandemic in Europe: A meta-analysis of observational studies. *Drug Alcohol Rev.* Feb 20 2022;doi:10.1111/dar.13446
- [14] Kumar, N., Janmohamed, K., Nyhan, K., et al. Substance, use in relation to COVID-19: A scoping review. *Addict Behav.* 04 2022;127:107213. doi:10.1016/j.addbeh.2021.107213
- [15] Vanderbruggen, N., Matthys, F., Van Laere, S., et al. Self-Reported Alcohol, Tobacco, and Cannabis Use during COVID-19 Lockdown Measures: Results from a Web-Based Survey. *Eur Addict Res.* 2020;26(6):309-315. doi:10.1159/000510822
- [16] Van Hooijdonk, K.J.M., Rubio, M., Simons, S.S.H., et al. Student-, Study- and COVID-19-Related Predictors of Students' Smoking, Binge Drinking and Cannabis Use before and during the Initial COVID-19 Lockdown in The Netherlands. *Int J Environ Res Public Health.* Jan 12 2022;19(2)doi:10.3390/ijerph19020812

[17] Pierce, M., van Amsterdam, J., Kalkman, G.A., Schellekens, A., van den Brink, W. Is Europe facing an opioid crisis like the United States? An analysis of opioid use and related adverse effects in 19 European countries between 2010 and 2018. *Eur Psychiatry*. 2021 Jun 21;64(1):e47. doi: 10.1192/j.eurpsy.2021.2219.

[18] Kalkman, G.A., Kramers, C., van Dongen, R.T., van den Brink, W., Schellekens, A. Trends in use and misuse of opioids in the Netherlands: a retrospective, multi-source database study. *Lancet Public Health*. 2019 Oct;4(10):e498-e505. doi: 10.1016/S2468-2667(19)30128-8. Epub 2019 Aug 20.