

Referenties

Rooksignalen

Bevorderende en belemmerende factoren bij de invoering van een rookvrije verslavingszorg

Wiebren Markus, Anna Boormans, Boukje Dijkstra & Arnt Schellekens

- [1] Nationaal preventieakkoord. Naar een gezonder Nederland. Den Haag: Ministerie van Volksgezondheid, Welzijn en Sport; 2018. Beschikbaar via: <https://open.overheid.nl/repository/ronl-1f7b7558-4628-477d-8542-9508d913ab2c/1/pdf/nationaal-preventieakkoord.pdf>. Geraadpleegd 2022 november 10.
- [2] Bommel , J., & Willemsen, M. (2022). Kerncijfers roken 2021. Utrecht: Nationaal Expertisecentrum Tabaksontmoediging (NET), onderdeel van het Trimbos Instituut. Beschikbaar via: AF1998-Kerncijfers-Roken-2021.pdf (trimbos.nl). Geraadpleegd 2022 november 10.
- [3] Guydish, J., Passalacqua, E., Pagano, A., Mart nez, C., Le, T., Chun, J., et al. (2016). An international systematic review of smoking prevalence in addiction treatment. *Addiction* 111(2): 220-30. <https://doi.org/10.1111/add.13099>
- [4] Cookson, C., Strang, J., Ratschen, E., Sutherland, G., Finch, E., & McNeill, A. (2014). Smoking and its treatment in addiction services: Clients' and staff behaviour and attitudes. *BMC Health Services Research* 14(1): 1-8. <https://doi.org/10.1186/1472-6963-14-304>
- [5] Walitzer, K.S., Dermen, K.H., Barrick, C., & Shyhalla, K. (2015). Tobacco smoking among male and female alcohol treatment-seekers: Clinical complexities, treatment length of stay, and goal achievement. *Substance Use and Misuse* 50: 166-73. <https://doi.org/10.3109/10826084.2014.962050>
- [6] Tsoh, J.Y., Chi, F.W., Mertens, J.R., & Weisner, C.M. (2011). Stopping smoking during first year of substance use treatment predicted 9-year alcohol and drug treatment outcomes. *Drug and Alcohol Dependence* 114(2-3): 110-8. <https://doi.org/10.1016/j.drugalcdep.2010.09.008>
- [7] Boer, J., Kuijpers, T., Edens, J., Eykelenboom, M., Nawijn, E., Koopman, N., et al. (2021). Voortgangsrapportage Nationaal preventieakkoord. Bilthoven: Rijksinstituut voor Volksgezondheid en Milieu (RIVM); 2022. Beschikbaar via: <https://open.overheid.nl/repository/ronl-c51c2441e9b68223adad4fb20f9fdef56f6c8562/1/pdf/rivm-voortgangsrapportage-nationaal-preventieakkoord-2021.pdf>. Geraadpleegd 2022 november 10.
- [8] Global Network Self-Audit Questionnaire and Planning Template (Oktober, 2017), Nederlandse vertaling (25 februari 2018) door Van de Graaf, R.C., Molanus, R., & Pardoel, Z.E. Beschikbaar via: <https://www.rookvrijezorg.com/wp-content/uploads/2022/03/Zelfaudit-vragenlijst-beknopte-versie-Global-Network-2018.pdf>. Geraadpleegd 2022 november 10.
- [9] Sheals, K., Tombor, I., McNeill, A., & Shahab, L. (2016). A mixed-method systematic review and meta-analysis of mental health professionals' attitudes toward smoking and smoking cessation among people with mental illnesses. *Addiction* 111(9), 1536-53. <https://doi.org/10.1111/add.13387>
- [10] Gentry, S., Craig, J., Holland, R., & Notley, C. (2017). Smoking cessation for substance misusers: A systematic review of qualitative studies on participant and provider beliefs and perceptions. *Drug and Alcohol Dependence* 180: 178-92. <https://doi.org/10.1016/j.drugalcdep.2017.07.043>
- [11] McClure, E.A., Acquavita, S.P., Dunn, K.E., Stoller, K.B., & Stitzer, M.L. (2013). Characterizing smoking, cessation services and quit interest across outpatient substance abuse treatment modalities. *Journal of Substance Abuse Treatment* 46(2): 194-201. <https://doi.org/10.1016/j.jsat.2013.07.009>
- [12] Fleuren, M.A., Paulussen, T.G., Van Dommelen, P., & Van Buuren, S. (2014). Towards a measurement instrument for determinants of innovations. *International Journal for Quality in Health Care* 26(5): 501-10. <https://doi.org/10.1093/intqhc/mzu060>
- [13] Verberne, L.M., Kars, M.C., Schepers, S.A., Schouten-van Meeteren, A.Y.N., Grootenhuis, M.A., & van Delden, J.J.M. (2018). Barriers and facilitators to the implementation of a paediatric palliative care team. *BMC Palliative Care* 17(1):23.

- [14]Van Westen-Lagerweij, N.A., Bommel , J., Willemsen, M.C., & Croes, E.A. (2022). Mentioning smoking cessation assistance during healthcare consultations matters: Findings from Dutch survey research. *European journal of public health* 32(5): 747-52. doi:10.1093/eurpub/ckac106
- [15]Prochaska, J.J. (2009). Ten critical reasons for treating tobacco dependence in inpatient psychiatry. *Journal of the American Psychiatric Nurses Association* 15(6): 404-9. doi:10.1177/1078390309355318
- [16]Prochaska, J.J., Delucchi, K., & Hall, S.M. (2004). A meta-analysis of smoking cessation interventions with individuals in substance abuse treatment or recovery. *Journal of Consultative Clinical Psychology*, 72(6): 1144–56.
- [17]Prochaska, J.J., Hall, S.M., Tsoh, J.Y., Eisendrath, S., Rossi, J.S., Redding, C.A., et al. (2008). Treating tobacco dependence in clinically depressed smokers: Effect of smoking cessation on mental health functioning. *American Journal of Public Health* 98(3): 446-8.
- [18]McFall, M., Atkins, D.C., Yoshimoto, D., Thompson, C.E., Kanter, E., Malte, C.A., et al. (2006). Integrating tobacco cessation treatment into mental health care for patients with posttraumatic stress disorder. *American Journal on Addictions* 15(5): 336-44.
- [19]Prochaska, J.J., Gill, P., & Hall, S.M. (2004). Treatment of tobacco use in an inpatient psychiatric setting. *Psychiatric Services* 55(11): 1265-70.
- [20]Vermeulen, J.M., Schirmbeck, F., Blankers, M., van Tricht, M., Bruggeman, R., van den Brink, W., et al. (2018). Association between smoking behavior and cognitive functioning in patients with psychosis, siblings, and healthy control subjects: Results from a prospective 6-year follow-up study. *American Journal of Psychiatry* 175(11): 1121-8.
- [21]Kerngroep Zorgstandaard Tabaksverslaving. Zorgstandaard Tabaksverslaving 2019. Utrecht: Partnership Stop met Roken; 2019. Beschikbaar via: <https://www.trimbos.nl/wp-content/uploads/sites/31/2021/09/af1680-zorgstandaard-tabaksverslaving-2019.pdf>. Geraadpleegd 2022 november 10.