

Referenties

Toepassing van transcraniële gelijkstroomstimulatie bij patiënten met problematisch alcoholgebruik

Een breed literatuuroverzicht

Sil Van Cauwenberghe, Michiel van Kernebeek, Nathalie Vanderbruggen, Mathieu Vanfleteren & Cleo L. Crunelle

- [1] Bruggeman, H., Charafeddine, R., Demarest, S., et al. (2023). BELHEALTH: a longitudinal study to monitor the mental health of the Belgian population post-pandemic. *Eur J Public Health*, 33: ckad160.492.
- [2] Van der Heyden, J., Nguyen, D., Renard, F., et al. (2018). *Belgian Health Examination Survey 2018*. DOI: 10.25608/KSVH-X532.
- [3] Ten Have, M., Tuithof, M., Van Dorsselaer, S., et al. (2023). Prevalence and trends of common mental disorders from 2007-2009 to 2019-2022: results from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS), including comparison of prevalence rates before vs. during the COVID-19 pandemic. *World Psychiatry*, 22: 275-285.
- [4] <https://www.rivm.nl/determinanten-van-gezondheid/problematisch-alcoholgebruik>
- [5] Goudriaan, A.E., Crunelle, C.L., Wolf, C., & Schellekens, A. (2023). Neurale netwerken bij verslaving [Neural networks in addiction]. *Tijdschr Psychiatr.*, 65(10): 609-612.
- [6] Dunlop, K., Hanlon, C.A., & Downar, J. (2017). Noninvasive brain stimulation treatments for addiction and major depression. *Ann N Y Acad Sci.*, 1394(1): 31-54. doi: 10.1111/nyas.12985.
- [7] Ersche, K.D., Meng, C., Ziauddeen, H., Stochl, J., Williams, G.B., Bullmore, E.T., & Robbins, T.W. (2020). Brain networks underlying vulnerability and resilience to drug addiction. *Proc Natl Acad Sci*, 117(26): 15253-15261. doi: 10.1073/pnas.2002509117.
- [8] Tolomeo, S., & Yu, R. (2022). Brain network dysfunctions in addiction: a meta-analysis of resting-state functional connectivity. *Transl Psychiatry*, 12(1): 41. doi: 10.1038/s41398-022-01792-6.
- [9] Stubbs, J.L., Taylor, J.J., Siddiqi, S.H., Schaper, F.L., Cohen, A.L., Drew, W. et al. (2023). Heterogeneous neuroimaging findings across substance use disorders localize to a common brain network. *Nat. Mental Health* 1, 772-781. <https://doi.org/10.1038/s44220-023-00128-7>
- [10] Konova, A.B., Parvaz, M.A., Bernstein, V., Zilverstand, A., Moeller, S.J., Delgado, M.R., Alia-Klein, N., & Goldstein, R.Z. (2019). Neural mechanisms of extinguishing drug and pleasant cue associations in human addiction: role of the VMPFC. *Addict Biol.*, 24(1): 88-99. doi: 10.1111/adb.12545.
- [11] Ghin, F., Beste, C., & Stock, A.K. (2022). Neurobiological mechanisms of control in alcohol use disorder - Moving towards mechanism-based non-invasive brain stimulation treatments. *Neurosci Biobehav Rev.*, 133: 104508. doi: 10.1016/j.neubiorev.2021.12.031.
- [12] Soleimani, G., Towhidkhah, F., Oghabian, M.A., & Ekhtiari, H. DLPFC stimulation alters large-scale brain networks connectivity during a drug cue reactivity task: A tDCS-fMRI study. *Front Syst Neurosci.*, 16: 956315. doi: 10.3389/fnsys.2022.956315.

- [13] Cushnie, A.K., Tang, W., & Heilbronner, S.R. (2023). Connecting Circuits with Networks in Addiction Neuroscience: A Salience Network Perspective. *Int J Mol Sci.*, 24(10): 9083. doi: 10.3390/ijms24109083.
- [14] Farahani, F., Kronberg, G., FallahRad, M., Oviedo, H.V., & Parra, L.C. (2021). Effects of direct current stimulation on synaptic plasticity in a single neuron. *Brain Stimul.*, 14(3): 588-597. doi: 10.1016/j.brs.2021.03.001.
- [15] Philip, N.S., Sorensen, D.O., McCalley, D.M., & Hanlon, C.A. (2020). Non-invasive Brain Stimulation for Alcohol Use Disorders: State of the Art and Future Directions. *Neurotherapeutics*, 17(1): 116-126. doi: 10.1007/s13311-019-00780-x.
- [16] Soleimani, G., Kuplicki, R., Camchong, J., et al. (2023). Are we really targeting and stimulating DLPFC by placing transcranial electrical stimulation (tES) electrodes over F3/F4?. *Hum Brain Mapp*, 44(17): 6275-6287. doi:10.1002/hbm.26492
- [17] Mehta, D.D., Praecht, A., Ward, H.B., et al. (2024). A systematic review and meta-analysis of neuromodulation therapies for substance use disorders. *Neuropsychopharmacology*, 49(4):649-680. doi:10.1038/s41386-023-01776-0
- [18] Tobback, H., Deroost, N., Baeken, C., Destoop, M., Dom, G., & Baetens, K. (2022). Transcraniële gelijkstroomstimulatie bij stoornissen in het gebruik van middelen: een update [Transcranial direct current stimulation in substance use disorders: an update]. *Tijdschr Psychiatr.*, 64(10): 670-676.
- [19] Zhang, X., Huang, M., Yu, Y., et al. (2024). Is Transcranial Direct Current Stimulation Effective for Cognitive Dysfunction in Substance Use Disorders? A Systematic Review. *Brain Sci.*, 14(8): 754. doi:10.3390/brainsci14080754
- [20] Kim, H.J., & Kang, N. (2021). Bilateral transcranial direct current stimulation attenuated symptoms of alcohol use disorder: A systematic review and meta-analysis. *Prog Neuropsychopharmacol Biol Psychiatry*, 108: 110160. doi:10.1016/j.pnpbp.2020.110160
- [21] Bollen, Z., Dormal, V., & Maurage, P. (2022). How Should Transcranial Direct Current Stimulation be Used in Populations With Severe Alcohol Use Disorder? A Clinically Oriented Systematic Review. *Clin EEG Neurosci.*, 53(4): 367-383. doi:10.1177/15500594211001212
- [22] Ekhtiari, H., Tavakoli, H., Addolorato, G., Baeken, C., Bonci, A., Campanella, S., et al. (2019). Transcranial electrical and magnetic stimulation (tES and TMS) for addiction medicine: A consensus paper on the present state of the science and the road ahead. *Neurosci Biobehav Rev.*, 104: 118-140. doi: 10.1016/j.neubiorev.2019.06.007.
- [23] National Heart, Lung, Blood Institute (2014). Quality Assessment Tool for Controlled Intervention Studies. Available at National Heart, Lung, and Blood Institute.
- [24] <https://www.trimbos.nl/kennis/alcohol/alcohol-in-de-huisartsenpraktijk/tools-voor-consultvoering-over-alcohol/>
- [25] <https://auditscreen.org/about/scoring-audit>
- [26] MacKillop, J., Agabio, R., Feldstein Ewing, S.W. et al. (2024). Publisher Correction: Hazardous drinking and alcohol use disorders. *Nat Rev Dis Primers* 10(69). <https://doi.org/10.1038/s41572-024-00561-7>
- [27] <https://www.rayyan.ai/>
- [28] Astha Patil, S., Patil, N.M., et al. (2024). Efficacy of tDCS on craving in patients of alcohol dependence syndrome: A single-blind, sham-controlled trial. *Indian Journal Of Psychiatry*, 66: 98-105.

- [29] Boggio, P.S., Sultani, N., Fecteau, S., et al. (2008). Prefrontal cortex modulation using transcranial DC stimulation reduces alcohol craving: A double-blind, sham-controlled study. *Drug And Alcohol Dependence*, 92: 55-60.
- [30] Brown, D.R., Jackson, T.C.J., Claus, E.D., Votaw, V.R., Stein, E.R., Robinson, C.S.H., Wilson, A.D., Brandt, E., Fratzke, V., Clark, V.P., & Witkiewitz, K. (2020). Decreases in the Late Positive Potential to Alcohol Images Among Alcohol Treatment Seekers Following Mindfulness-Based Relapse Prevention. *Alcohol and alcoholism*, 55: 78-85.
- [31] Camchong, J., Roediger, D., Fiecas, M., et al. (2023). Frontal tDCS reduces alcohol relapse rates by increasing connections from left dorsolateral prefrontal cortex to addiction networks. *Brain Stimulation*, 16: 1032-1040.
- [32] Claus, E.D., Klimaj, S.D., Chavez, R., Martinez, A.D., & Clark, V.P. (2019). A Randomized Trial of Combined tDCS Over Right Inferior Frontal Cortex and Cognitive Bias Modification: Null Effects on Drinking and Alcohol Approach Bias. *Alcoholism, clinical and experimental research*, 43: 1591-1599.
- [33] da Silva, M.C., Conti, C.L., Klauss, J., et al. (2013). Behavioral effects of transcranial Direct Current Stimulation (tDCS) induced dorsolateral prefrontal cortex plasticity in alcohol dependence. *Journal Of Physiology-Paris*, 107: 493-502.
- [34] Dayal, P., Kaloiya, G., Verma, R., et al. (s.d.). Effects of Transcranial Direct-Current Stimulation (tDCS) Treatment Sessions on Neuropsychological left-to-right markFunctioning Among Detoxified Inpatients with Alcohol Dependence: A Randomized Sham-Controlled Clinical Trial. *Alcoholism Treatment Quarterly*.
- [35] Dayal, P., Kaloiya, G.S., Verma, R., et al. (s.d.). Need to rethink tDCS protocols for the treatment of alcohol use disorder: Insights from a randomized sham-controlled clinical trial among detoxified inpatients. *Journal Of Addictive Diseases*.
- [36] den Uyl, T.E., Gladwin, T.E., & Wiers, R.W. (2015). Transcranial direct current stimulation, implicit alcohol associations and craving. *Biological psychology*, 105: 37-42.
- [37] den Uyl, T.E., Gladwin, T.E., & Wiers, R.W. (2016). Electrophysiological and Behavioral Effects of Combined Transcranial Direct Current Stimulation and Alcohol Approach Bias Retraining in Hazardous Drinkers. *Alcoholism, clinical and experimental research*, 40: 2124-2133.
- [38] den Uyl, T.E., Gladwin, T.E., Rinck, M., Lindenmeyer, J., & Wiers, R.W. (2017). A clinical trial with combined transcranial direct current stimulation and alcohol approach bias retraining. *Addiction biology*, 22: 1632-1640.
- [39] den Uyl, T.E., Gladwin, T.E., Lindenmeyer, J., & Wiers, R.W. (2018). A Clinical Trial with Combined Transcranial Direct Current Stimulation and Attentional Bias Modification in Alcohol-Dependent Patients. *Alcoholism, clinical and experimental research*, 42: 1961-1969.
- [40] Dormal, V., Lannoy, S., Bollen, Z., D'Hondt, F., & Maurage, P. (2020). Can we boost attention and inhibition in binge drinking? Electrophysiological impact of neurocognitive stimulation. *Psychopharmacology*, 237: 1493-1505.
- [41] Dubuson, M., Kornreich, C.V., et al. (2021). Transcranial direct current stimulation combined with alcohol cue inhibitory control training reduces the risk of early alcohol relapse: A randomized-controlled clinical trial. *Brain Stimulation*, 14: 1531-1543.
- [42] Gibson, B.C., Votaw, V.R., Stein, E.R., et al. (2022). Transcranial Direct Current Stimulation Provides No Additional Benefit to Improvements in Self-Reported Craving Following Mindfulness-Based Relapse Prevention. *Mindfulness*, 13: 92-103.
- [43] Holla, B., Biswal, J., Ramesh, V., Shivakumar, V., Bharath, R.D., Benegal, V., Venkatasubramanian, G., Chand, P.K., & Murthy, P. (2020). Effect of prefrontal tDCS on resting brain fMRI graph measures in Alcohol Use Disorders: A randomized,

- double-blind, sham-controlled study. *Progress in neuro-psychopharmacology & biological psychiatry*, 102: 109950.
- [44] Klauss, J., Penido Pinheiro, L.C., Silva Merlo, B.L., de Almeida Correia Santos, G., Fregni, F., Nitsche, M.A., & Miyuki Nakamura-Palacios, E. (2014). A randomized controlled trial of targeted prefrontal cortex modulation with tDCS in patients with alcohol dependence. *Int J Neuropsychopharmacol.*, 17(11): 1793-803. doi: 10.1017/S1461145714000984.
- [45] Klauss, J., Anders, Q.S., Felipe, L.V., et al. (2018). Multiple Sessions of Transcranial Direct Current Stimulation (tDCS) Reduced Craving and Relapses for Alcohol Use: A Randomized Placebo-Controlled Trial in Alcohol Use Disorder. *Frontiers In Pharmacology*, 9:716. doi: 10.3389/fphar.2018.00716. PMID: 30018558; PMCID: PMC6037838.
- [46] Nakamura-Palacios, E.M., de Almeida Benevides, M.C., Zago-Gomes M da P., et al. (2012). Auditory event-related potentials (P3) and cognitive changes induced by frontal direct current stimulation in alcoholics according to Lesch alcoholism typology. *International Journal Of Neuropsychopharmacology*, 15: 601-616.
- [47] Nakamura-Palacios, E.M., Coutinho Lopes, I.B., Souza, R.A., et al. (2016). Ventral medial prefrontal cortex (vmPFC) as a target of the dorsolateral prefrontal modulation by transcranial direct current stimulation (tDCS) in drug addiction. *Journal Of Neural Transmission*, 123: 1179-1194.
- [48] Schwippel, T., Schroeder, P.A., Hasan, A., & Plewnia, C. (2022). Implicit measures of alcohol approach and drinking identity in alcohol use disorder: A preregistered double-blind randomized trial with cathodal transcranial direct current stimulation (tDCS). *Addiction biology*; 27: e13180.
- [49] Vanderhasselt, M.A., Allaert, J., De Raedt, R., Baeken, C., Krebs, R.M., & Herremans, S. (2020). Bifrontal tDCS applied to the dorsolateral prefrontal cortex in heavy drinkers: Influence on reward-triggered approach bias and alcohol consumption. *Brain and cognition*; 138: 105512.
- [50] Wietschorke, K., Lippold, J., Jacob, C., Polak, T., & Herrmann, M.J. (2016). Transcranial direct current stimulation of the prefrontal cortex reduces cue-reactivity in alcohol-dependent patients. *Journal of neural transmission*, 123: 1173–8.
- [51] Witkiewitz, K., Stein, E.R., Votaw, V.R., Wilson, A.D., Roos, C.R., Gallegos, S.J., Clark, V.P., & Claus, E.D. (2019). Mindfulness-Based Relapse Prevention and Transcranial Direct Current Stimulation to Reduce Heavy Drinking: A Double-Blind Sham-Controlled Randomized Trial. *Alcoholism, clinical and experimental research*, 43: 1296-1307.
- [52] Vafaie, N., & Kober, H. (2022). Association of Drug Cues and Craving With Drug Use and Relapse: A Systematic Review and Meta-analysis. *JAMA Psychiatry*, 79(7): 641-650. doi:10.1001/jamapsychiatry.2022.1240
- [53] Schlaff, G., Walter, H., Lesch, O.M. (2011). The Lesch alcoholism typology - psychiatric and psychosocial treatment approaches. *Ann Gastroenterol.*, 24(2): 89-97.
- [54] Wiers, R.W., Pan, T., van Dessel, P., Rinck, M., & Lindenmeyer, J. (2023). Approach-Bias Retraining and Other Training Interventions as Add-On in the Treatment of AUD Patients. *Curr Top Behav Neurosci*. doi:10.1007/7854_2023_421
- [55] Blanco-Ramos, J., Cadaveira, F., Folgueira-Ares, R., Corral, M., & Rodríguez Holguín, S. (2019). Electrophysiological Correlates of an Alcohol-Cued Go/NoGo Task: A Dual-Process Approach to Binge Drinking in University Students. *Int J Environ Res Public Health*, 16(22): 4550. doi:10.3390/ijerph16224550

- [56] Fathi, M., Pourrahimi, A.M., Poormohammad, A., et al. (2024). Video game addiction is associated with early stage of inhibitory control problems: An event-related potential study using cued Go/NoGo task. *Addict Biol.*, 29(4): e13391. doi:10.1111/adb.13391
- [57] Chen, L., Oei, T.P., & Zhou, R. (2023). The cognitive control mechanism of improving emotion regulation: A high-definition tDCS and ERP study. *J Affect Disord.*, 332: 19-28. doi:10.1016/j.jad.2023.03.059
- [58] Hajcak, G., & Foti, D. (2020). Significance? & Significance! Empirical, methodological, and theoretical connections between the late positive potential and P300 as neural responses to stimulus significance: An integrative review. *Psychophysiology*, 57(7): e13570. doi:10.1111/psyp.13570
- [59] Hartman, M.E., Ladwig, M.A., & Ekkekakis, P. (2021). Contactless differentiation of pleasant and unpleasant valence: Assessment of the acoustic startle eyeblink response with infrared reflectance oculography. *Behav Res Methods*, 53(5): 2092-2104. doi:10.3758/s13428-021-01555-z
- [60] Soleimani, G., Kuplicki, R., Camchong, J., et al. (2023). Are we really targeting and stimulating DLPFC by placing transcranial electrical stimulation (tES) electrodes over F3/F4?. *Hum Brain Mapp*, 44(17):6275-6287. doi:10.1002/hbm.26492
- [61] Kessels, R., Mozer, R., & Bloemers, J.(2019). Methods for assessing and controlling placebo effects. *Stat Methods Med Res.*, 28(4): 1141-1156. doi:10.1177/0962280217748339
- [62] Fonteneau, C., Mondino, M., Arns, M., et al. (2019). Sham tDCS: A hidden source of variability? Reflections for further blinded, controlled trials. *Brain Stimul.*, 12(3): 668-673. doi:10.1016/j.brs.2018.12.977
- [63] Burke, M.J., Kaptchuk, T.J., & Pascual-Leone, A. (2019). Challenges of differential placebo effects in contemporary medicine: The example of brain stimulation. *Ann Neurol.*, 85(1): 12-20. doi:10.1002/ana.25387
- [64] De Smet, S., Nikolin, S., Moffa, A., et al. (2021). Determinants of sham response in tDCS depression trials: a systematic review and meta-analysis. *Prog Neuropsychopharmacol Biol Psychiatry*, 109: 110261. doi:10.1016/j.pnpbp.2021.110261
- [65] Fregni, F., El-Hagrassy, M.M., Pacheco-Barrios, K., et al. (2021). Evidence-Based Guidelines and Secondary Meta-Analysis for the Use of Transcranial Direct Current Stimulation in Neurological and Psychiatric Disorders. *Int J Neuropsychopharmacol.*, 24(4): 256-313. doi:10.1093/ijnp/pyaa051
- [66] Mackenbach, C., Tian, R., & Yang, Y. (2020). Effects of Electrode Configurations and Injected Current Intensity on the Electrical Field of Transcranial Direct Current Stimulation: A Simulation Study. *Annu Int Conf IEEE Eng Med Biol Soc.*, 3517-3520. doi:10.1109/EMBC44109.2020.9176686
- [67] Yoon, M.J., Park, H.J., Yoo, Y.J., et al. (2024). Electric field simulation and appropriate electrode positioning for optimized transcranial direct current stimulation of stroke patients: an in Silico model. *Sci Rep*, 14(1): 2850. doi:10.1038/s41598-024-52874-y